

UNITED STATES DEPARTMENT OF AGRICULTURE  
ANIMAL AND PLANT HEALTH INSPECTION SERVICE

OFFICIAL WARNING



VIOLATION OF FEDERAL REGULATIONS

CASE NO.

MN 130034

VIOLATOR

Customer# 2848

Certificate# 41-A-0023(c)

Carole & Larry Harries

Harries K-9 Ranch

ADDRESS (Street, City, State, Zip Code)

The Department of Agriculture has evidence that on or about **April 30, 2012, November 1, 2012 and February 12, 2013** you or your organization committed the following violation of Federal Regulations:

9 CFR, SECTION

Failure to

2.40 (b)(2)

- Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include the use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries.

(\*\*Dog #471 had dark brownish buildup, gray colored creamy discharge along the gum extending onto the teeth, and exposed tooth roots on upper cheek teeth.

\*\*Dog #606 had discharge around the eyes, crusted up fur around eyes, and mucous discharge on left eye.

\*\*Dog #568 had matted fur around eyes and fecal material caught in matted fur underneath the tail.)

Titles 7 & 9 Code of Federal Regulations were promulgated to help prevent the spread of animal and plant pests and diseases and assure the humane treatment of animals. Since violations of the regulations can have serious and costly impact detrimental to the public interest, you are warned of this violation. Any further violation of these regulations may result in the assessment of a civil penalty or criminal prosecution. If you have any questions concerning this warning or violation, please contact the listed APHIS Official.

APHIS OFFICIAL (Name and Title)

Elizabeth Goldentyer, DVM

Regional Director

DATE ISSUED

9/3/13

OFFICE ADDRESS:

920 Main Campus Dr., Suite 200

Raleigh, NC 27606

TELEPHONE NO. AC (919) 855-7100

DATE RECEIVED:

FOR PERSONAL SERVICE - RECEIVED BY: (Name and signature)

FOR CERTIFIED MAIL - RECEIPT NO:

7010 2780 0002 5200 0710

APHIS FORM 7060

Previous editions may be used

(JUN 91) PART 1 - VIOLATOR